

ATLANTIC

# Colorfalls

LIGHTED FALLS



*Enjoy the sights and sounds  
of soothing lighted falls in  
your next outdoor project.*



PLUMBING  
CUTAWAY

# Colorfalls

LIGHTED FALLS



SOL White



Ice Blue



Fire Red



Crystal White



# Colorfalls

LIGHTED FALLS

The Colorfalls has been specifically designed to work with most retaining walls to add a beautiful sheer waterfall. The units boast low energy LED lights, an extra long reinforced weir, and an interior baffling system that produces a single lighted water sheer. The Colorfalls Basin has been engineered to catch, clean and redistribute the water for a virtually maintenance free water feature. Enjoy the sights and sounds of soothing lighted falls in your next outdoor project.

## COLORFALLS™ KITS

### 24" Colorfalls Kits

CFKIT24W – Crystal White

CFKIT24R – Fire Red

CFKIT24B – Ice Blue

CFKIT24SW – SOL White

- 24" Colorfalls & Basin
- TW2400 Tidalwave 2 Pump
- 10' of 1<sup>1/4</sup>" Flexible PVC Pipe
- Kit includes Splash Mat, Pump Discharge, Auto-Fill, Glue, Cleaner, Thread Sealant, Colorfalls Brush and Fittings

### 36" Colorfalls Kits

CFKIT36W – Crystal White

CFKIT36R – Fire Red

CFKIT36B – Ice Blue

CFKIT36SW – SOL White

- 36" Colorfalls & Basin
- TW3700 Tidalwave 2 Pump
- 10' of 1<sup>1/4</sup>" Flexible PVC Pipe
- Kit includes Splash Mat, Pump Discharge, Auto-Fill, Glue, Cleaner, Thread Sealant, Colorfalls Brush and Fittings

Colorfalls™ Lighted Weir



MODEL **CF12B/CF12W**  
**CF12R/CF12SW**

- 12 Volt
- 10 watts
- 1 1/4" FIPT inlet
- 1000 gph flow rate
- 5" lip extension
- 30' cord and trans
- 12"l x 8"w x 3 1/2"h

MODEL **CF24B/CF24W**  
**CF24R/CF24SW**

- 12 Volt
- 20 watts
- 1 1/4" FIPT inlet
- 2000 gph flow rate
- 5" lip extension
- 30' cord and trans
- 24"l x 8"w x 3 1/2"h

MODEL **CF36B/CF36W**  
**CF36R/CF36SW**

- 12 Volt
- 30 watts
- 1 1/4" FIPT inlet
- 3000 gph flow rate
- 5" lip extension
- 30' cord and trans
- 36"l x 8"w x 3 1/2"h

\*Colorfalls are recommended for clean water and pond-free applications only\*

TidalWave II™ Pump



MODEL **TW1900**

- 130 watts
- 1 1/2" MIPT inlet
- 1 1/2" FIPT outlet
- 1440 gph @ 5'
- 32" cord
- 8.5"l x 5"w x 6"h

MODEL **TW2400**

- 175 watts
- 1 1/2" MIPT inlet
- 1 1/2" FIPT outlet
- 2400 gph @ 5'
- 32" cord
- 8.5"l x 5"w x 6"h

MODEL **TW3700**

- 355 watts
- 2" MIPT inlet
- 1 1/2" FIPT outlet
- 3700 gph @ 5'
- 32" cord
- 10"l x 6"w x 7"h

24" Colorfalls Basin



MODEL **CFBASIN24**

- 33 gal capacity
- Pre-filtered pump chamber
- Built-in plumbing channels
- Can be installed above or below grade
- 44"l x 22"w x 16"h

36" Colorfalls Basin



MODEL **CFBASIN36**

- 42 gal capacity
- Pre-filtered pump chamber
- Built-in plumbing channels
- Can be installed above or below grade
- 56"l x 24"w x 16"h

Replacement Filter



MODEL **CFMA**

- Grey 'MATALA' replacement filter for the Colorfalls Basin
- 17 1/2"l x 1 1/2"w x 12 1/2"h

Anti-Splash Mat



MODEL **CFSPMA24/CFSPMA36**

- Install on top of the Colorfalls Basin
- Virtually eliminates splash
- Reduces water loss
- Cover the mat around the waterfall with gravel for a more natural look

Auto Fill Kit



MODEL **AF1000**

- Maintains a consistent water level in the Colorfalls Basin
- Plumbing channels make installation easy
- Includes adaptors for 1/2" PVC, 1/2" poly, and garden hose

Cleaning Brush



MODEL **CFBRUSH**

- Quickly removes debris from the Colorfalls spillway
- 8 1/2"l x 1/4"w

Distributed By

